

Architectural 13W CRI 97 875LM BR30 Dimmable

CIVILIGHT®




Features

- CRI 97, R9=80, 68lm/W
- 70W incandescent equivalent
- 80% energy saving
- Smooth dimming
- UL and RoHS compliant
- Can be used in enclosed fixtures

Applications

- Home, apartment and other residential buildings
- Restaurants

Part No.	DBR30 K2F70Q13-46003	DBR30 W2F70Q13-46004	DBR30 DF70Q13-46005
Wattage (W)	13	13	13
Incandescent Equivalent (W)	70	70	70
Dimmable	Yes	Yes	Yes
Socket	E26	E26	E26
Lumens (lm)	875	875	875
Luminous Intensity (cd)	/	/	/
PF	0.9	0.9	0.9
CCT (K)	2700K	3000K	5000K
CRI (Ra)	97	95	92
Voltage (V)	120	120	120
Current (A)	0.106	0.106	0.106
Frequency (Hz)	60	60	60
Beam Angle (deg)	100°	100°	100°
Lifespan (hrs)	25000	25000	25000
Working Temperature (°C)	-20-40	-20-40	-20-40
Storage Temperature (°C)	-40-80	-40-80	-40-80
Weight (ounces)	9.07	9.07	9.07



At \$0.11 per kWh, this 13W LED BR30 estimates energy cost \$1.57 per year, using \$35.75 of electricity over its 25000 hour lifetime. This is a \$156.75 savings when compared to the \$192.5 required to run a 70W incandescent over the same period. Actual savings will vary depending on cost per kWh. 22.8 years means rated average life based on engineering testing and probability analysis where the lamp is used 3 hours per day, 7 days a week.

* Note: Data is subject to change without prior notice. Please visit www.civilight-na.com for further information.

Cautions

- Power off before replacing
- Don't touch lamp when lit



CIVILIGHT NORTH AMERICA CORP

Address: 522 Buxton Grant Drive, Cary, NC 27519
 TEL: 919-234-0853 / WEB: www.civilight-na.com