

# Architectural 22W CRI 95 1700LM BR40 Dimmable **CIVILIGHT®**




## Features

- CRI 95, R9=60
- 115W incandescent equivalent
- 80% energy saving
- Smooth dimming
- UL and RoHS compliant

## Applications

- Home, apartment and other residential buildings
- Restaurants and hotels

Part No.	DBR40	DBR40	DBR40
	W2F115Q22-47004	N2F115Q22-47005	DF115Q22-47008
Wattage (W)	22	22	22
HALOGEN Equivalent (W)	115	115	115
Dimmable	Yes	Yes	Yes
Socket	E26	E26	E26
Lumens (lm)	1700	1700	1700
Luminous Intensity (cd)	650	650	650
PF	>0.9	>0.9	>0.9
CCT (K)	3000K	4000K	5000K
CRI (Ra)	95	95	95
Voltage (V)	AC120	AC120	AC120
Current (A)	0.180	0.180	0.180
Frequency (Hz)	60	60	60
Beam Angle (deg)	100	100	100
Lifespan (hrs)	25000	25000	25000
Working Temperature (°C)	-20-40	-20-40	-20-40
Storage Temperature (°C)	-40-80	-40-80	-40-80
Weight (ounces)	18	18	18



At \$0.11 per kWh, this 22W LED BR40 estimates energy cost \$2.65 per year, using \$60.5 of electricity over its 25000 hour lifetime. This is a \$255.75 savings when compared to the \$316.25 required to run 115W incandescent over the same period. Actual savings will vary depending on cost per kWh. 22.8 years means rated average life based on engineering testing and probability analysis where the lamp is used 3 hours per day, 7 days a week.

\* Note: Data is subject to change without prior notice. Please visit [www.civilight-na.com](http://www.civilight-na.com) for further information.

## Cautions

- Power off before replacing
- Don't touch lamp when lit



**CIVILIGHT NORTH AMERICA CORP**

Address: 522 Buxton Grant Drive, Cary, NC 27519  
 TEL: 919-234-0853 / WEB: [www.civilight-na.com](http://www.civilight-na.com)