

# Architectural 4.5W Diamond B11 310LM Dimmable

# CIVILIGHT®




## Features

- Patent optical design
- Sparkling Light effect
- 40W incandescent equivalent
- 85% energy saving
- Smooth dimming
- ENERGY STAR and UL compliant

## Applications

- Chandeliers
- Decorative lighting
- Wall sconces

Part No.	DB11 KP40Q5-12259(Silver)	DB11 KP40Q5-12271(Gold)
Wattage (W)	4.5	4.5
Incandescent Equivalent (W)	40W	40W
Dimmable	Yes	Yes
Socket	E12	E12
Lumens (lm)	310	310
Luminous Efficiency (lm/W)	65	65
PF	0.65	0.65
CCT (K)	2700	2700
CRI (Ra)	80	80
Voltage (V)	AC120	AC120
Current (A)	0.06	0.06
Frequency (Hz)	60	60
Beam Angle (deg)	270°	270°
Lifespan (hrs)	25000	25000
Working Temperature (°C)	-20 ~ 40	-20 ~ 40
Storage Temperature (°C)	-20 ~ 85	-20 ~ 85
Weight (ounces)	1.87	1.87



At \$0.11 per kWh, this 4.5W LED candle estimates energy cost \$0.54 per year, using \$12.31 of electricity over its 25000 hour lifetime. This is a \$97.69 savings when compared to the \$110 required to run a 40W incandescent over the same period. Actual savings will vary depending on cost per kWh. 22.8 years means rated average life based on engineering testing and probability analysis where the lamp is used 3 hours per day, 7 days a week.

\* Note: Data is subject to change without prior notice. Please visit [www.civilight-na.com](http://www.civilight-na.com) for further information.

## Cautions

- Power off before replacing
- Don't touch lamp when lit



**CIVILIGHT NORTH AMERICA CORP**  
 Address: 522 Buxton Grant Drive, Cary, NC 27519  
 TEL: 919-234-0853 / WEB: [www.civilight-na.com](http://www.civilight-na.com)