

Intensity data:(deg , cd) C0-180

A	I	A	I	A	I	A	I	A	I	A	I
-90.0	0.0523	-58.5	19.36	-27.0	391.5	4.5	1742	36.0	137.8	67.5	12.08
-88.5	0.2102	-57.0	21.45	-25.5	488.6	6.0	1734	37.5	117.2	69.0	10.97
-87.0	0.6827	-55.5	23.81	-24.0	597.2	7.5	1721	39.0	101.3	70.5	9.892
-85.5	1.277	-54.0	26.62	-22.5	717.1	9.0	1698	40.5	88.66	72.0	8.822
-84.0	1.994	-52.5	29.85	-21.0	844.3	10.5	1663	42.0	78.06	73.5	7.984
-82.5	2.639	-51.0	33.42	-19.5	975.1	12.0	1613	43.5	69.08	75.0	7.087
-81.0	3.270	-49.5	37.46	-18.0	1105	13.5	1548	45.0	61.31	76.5	6.336
-79.5	4.003	-48.0	42.06	-16.5	1227	15.0	1467	46.5	54.50	78.0	5.512
-78.0	4.702	-46.5	47.29	-15.0	1338	16.5	1372	48.0	48.36	79.5	4.758
-76.5	5.401	-45.0	53.22	-13.5	1434	18.0	1261	49.5	43.02	81.0	4.056
-75.0	6.154	-43.5	59.87	-12.0	1515	19.5	1138	51.0	38.28	82.5	3.329
-73.5	6.889	-42.0	67.52	-10.5	1583	21.0	1008	52.5	34.13	84.0	2.691
-72.0	7.766	-40.5	76.25	-9.0	1635	22.5	875.7	54.0	30.51	85.5	2.082
-70.5	8.624	-39.0	86.62	-7.5	1673	24.0	747.2	55.5	27.20	87.0	1.385
-69.0	9.670	-37.5	99.15	-6.0	1701	25.5	625.8	57.0	24.36	88.5	0.7716
-67.5	10.66	-36.0	115.0	-4.5	1720	27.0	508.2	58.5	21.96	90.0	0.3606
-66.0	11.79	-34.5	135.6	-3.0	1730	28.5	401.0	60.0	19.83		
-64.5	13.07	-33.0	163.1	-1.5	1737	30.0	317.2	61.5	17.95		
-63.0	14.40	-31.5	200.0	0.0	1741	31.5	251.8	63.0	16.24		
-61.5	15.85	-30.0	249.7	1.5	1744	33.0	202.2	64.5	14.77		
-60.0	17.51	-28.5	310.9	3.0	1744	34.5	165.3	66.0	13.38		

Electricity Parameter:

Current I: 0.1560A Power: 16.40W
Voltage V: 119.6V PF: 0.875


Optical Parameter (Distance=2.900m) :

Diffuse angle: @(25%): 54.2deg @(50%): 43.1deg @(75%): 32.7deg @50%): 43.1deg
Diffuse angle: @(25%): 54.2deg @(50%): 43.1deg @(75%): 32.8deg @50%): 43.1deg
Imax=1744cd (C=0.0deg,G=2.5deg) C0-180Plane Imax= 1744cd(G=2.5deg)
C0-180Plane I0= 1741cd

Lamp Type:DPAR38 WP16Q16
Tester:
Temperature:25.3deg
Manufactory:

Luminaires Type:
Test Date:2014-11-07
Humidity:65%
Remarks:

Average Illuminance Figure



Lamp Type: DPAR38 WP16Q16
 Tester:
 Temperature: 25.3deg
 Manufactory:

Luminaires Type:
 Test Date: 2014-11-07
 Humidity: 65%
 Remarks: